ENTRANCE EXAMINATION, 2020


QUESTION PAPER BOOKLET

M.Sc. (OCEAN & ATMOSPHERIC SCIENCES)

Marl	ks: 75
Time	e : 2:00 hrs. Hall Ticket No.:
Rea	d carefully the following instructions
i)	Please enter your Hall Ticket Number on the OMR Answer Sheet given to you and the space provided above.
ii)	This Question paper has two parts: Part - A and Part - B
iii)	Part - A consists of 25 objective type questions and Part - B consists of 50 objective type questions. Each question carries one mark.
iv)	There is negative marking. Each wrong answer carries -0.33 marks.
v)	Answers are to be marked on the OMR answer sheet following the instructions provided there upon. An example is show here
	75. (A) (B) (C) (
vi)	Hand over the OMR answer sheet at the end of the examination to the Invigilator.
vii)	No additional sheets will be provided. Rough work can be done in the question paper itself / space provided at the end of the booklet.
viii	Only scientific non-programmable calculators are permitted. Mobile phone based calculators are not permitted. Logarithmic tables are not allowed.
ix)	This question paper booklet contains 14 pages.

PART - A

- 1. A force of 12.5 N acts on a particle along a direction making an angle of 37° with the vertical. Find the component of the force in the vertical direction
 - A. 0.1
 - **B**. 1.0
 - C. 10.0
 - D. 12.5
- 2. The oxidation number of cobalt in K[Co(CO)₄] is
 - A. + 1
 - **B**. -1
 - **C**. +3
 - **D**. -3
- 3. If a, b and c are unit coplanar vectors, then the value of [2a-b 2b-c 2c-a] is
 - **A**. -1
 - **B**. 0
 - **C**. 1
 - **D**. 2
- 4. Which of the following ions forms most stable complex compound?
 - **A**. Fe³⁺
 - **B**. Cu²⁺
 - C. Mn²⁺
 - D. Ni²⁺
- 5. An ideal gas is taken around the cycle ABCA as shown in the p-V diagram



The total work done by the gas during the cycle is

- A. pV
- **B**. 2pV
- C. 3pV
- **D**. 4pV
- 6. For $x \ge 3$, the solution set of $\{f(x) + |x-2|\}$ $f(x) \le 0$ lies in
 - $\mathbf{A}.(4,\infty)$
 - **B**. (-∞, 3)
 - C.(3,4)
 - D. None of these

7. A 0.023	g of	sodium	metal	is	reacted	with	100	cm^3	of	water.	The	рН	of '	the	resulting
solution is?															

- **A.** 12
- **B**. 11
- C. 10
- D. 9

8. <u>Statement I</u>: In Young's double slit experiments; the two slits are at distance d apart. Interference pattern is observed on a screen at distance D from the slits. At a point on the screen when it is directly opposite to one of the slits, a dark fringe is observed. Then the wavelength of wave is proportional to square of distance of two slits.

Statement II: For a dark fringe intensity is zero

- A. Statement I is true, Statement II is also true and Statement II is the correct explanation of Statement I
- B. Statement I is true, Statement II is also true and Statement II is not the correct explanation of Statement I
- C. Statement I is true, Statement II is false
- D. Statement I is false, Statement II is true

9. If the adjoint of a
$$3\times3$$
 matrix P is, $\begin{bmatrix} 1 & 4 & 4 \\ 2 & 1 & 7 \\ 1 & 1 & 3 \end{bmatrix}$, then the possible value(s) of the

determinant of P are

- \mathbf{A} . ± 1
- **B**. ±2
- C. ±3
- **D**. ±4

- **A.** 4.8 m/s^2
- **B.** 8.8 m/s^2
- $C. 9.8 \text{ m/s}^2$
- **D**. 10.8 m/s^2

- A. Sodium carbonate
- B. Sodium bicarbonate
- C. Sodium nitrate
- D. Sodium nitrite

12. What is the
$$31^{st}$$
 term of the sequence: 1, 4, 7, 10,?

- A. 90
- **B**. 91
- C. 92
- **D**. 93

- 13. According to Newton's 2nd law the object's acceleration and centripetal force are
 - A. at right angles to each other
 - B. anti-parallel to each other
 - C. make acute angle with each other
 - **D**. in same direction
- 14. Based on the first law of thermodynamics, which one of the following is correct?
 - A. For an isothermal processes, q = +w
 - **B.** For an isochoric process, $\Delta U = -w$
 - C. For a cyclic process, q = -w
 - **D.** For an adiabatic process, $\Delta U = -w$
- 15. If the order of a matrix A is $m \times p$. And the order of B is $p \times n$. Then the order of matrix AB is?
 - $\mathbf{A}.\ \mathbf{n} \times \mathbf{m}$
 - $\mathbf{B}.\ \mathbf{n} \times \mathbf{p}$
 - $C.m \times n$
 - \mathbf{D} . m \times p
- 16. Statement: All mangoes are golden in colour. No golden-coloured things are cheap. Conclusions:
- I. All mangoes are cheap
- II. Golden-coloured mangoes are not cheap.
 - A. Only conclusion I follows
 - B. Only conclusion II follows
 - C. Either I or II follows
 - **D**. Neither I nor II follows
- 17. Current in a 60 W light bulb when it is connected to a 230 V power supply is
 - **A**. 2.6 A
 - **B**. 0.26 A
 - C. 0.026 A
 - **D**. 22.6 A
- 18. For the reversible reactions, $A_{(s)} + B_{(g)} = C_{(g)} + D_{(g)} \Delta G^o = -350$ kJ,

Which one of the following statements is true?

- A. The entropy change is negative
- B. The reaction is thermodynamically not feasible
- C. Equilibrium constant is greater than one
- D. The reaction should be instantaneous
- 19. The number that least fits this set: (324, 187, 97 and 64) is
 - A. 324
 - **B**. 187
 - C. 97
 - **D**. 64

- 20. Which of the following pairs represent units of the same physical quantity?
 - A. Kelvin and Joule
 - B. Joule and Calorie
 - C. Calorie and Kelvin
 - D. Calorie and Newton
- 21. The water pollution in river is measured by the dissolved amount of
 - A. chlorine
 - B. ozone
 - C. nitrogen
 - D. oxygen
- 22. Most stable isotope in nature is of
 - **A.** Fe⁵⁶
 - $\mathbf{B}. \mathbf{C}^{12}$
 - $C. U^{235}$
 - **D**. \overline{U}^{238}
- 23. Metalloids are:
 - A. elements having some properties of both metals and non-metals
 - B. colloids of metals
 - C. alloys of alkali metals with other metals
 - D. metals heavier than lead
- 24. The solution of $\int_0^1 \frac{1}{1+x^2} dx$ is
 - A. $\frac{\pi}{2}$
 - $\mathbf{B}.\frac{\pi}{4}$
 - \mathbf{C} , $\hat{\mathbf{0}}$
 - **D**. 1
- 25. According to Avogadro's hypothesis:
- 1. The molecular weights of the perfect gases occupy the same volume under same conditions of temperature and pressure.
- 2. Product of the gas constant and the molecular weight of an ideal gas is constant.
- 3. Gases have two values of specific heat.
- 3. All systems can be regarded as closed systems.

Which of the statements given above is/are correct?

- A. 1 only
- B. 2 only
- C. Both 1 and 2
- D. Neither 1 nor 2

PART - B

26. Match the following:

1. Homogeneous solution.	a. Distilled water
2. Heterogeneous solution	b. Milk
3. Colloidal solution	c. Orange juice with bulb

Select the correct answer using the codes given below:

27. If
$$A = \begin{bmatrix} 2 & 3 \\ 5 & -2 \end{bmatrix}$$
, then A^{-1} is

A. $\frac{-1}{19}A$

B. $\frac{1}{19}A$

C. $\frac{1}{17}A$

D. $\frac{-1}{17}A$

28. Match the following:

Type of Electromagnetic radiation	Wavelength (m)
A. Infrared radiation	1. 10 ⁻¹²
B. X-rays	2. 10 ⁻⁵
C. UV radiation	3. 10 ⁻¹⁰
D. Gamma rays	4. 10 ⁻⁸

Select the correct answer using the codes given below:

29. What is the value of x-y+z from the following equation

$$\begin{bmatrix} x+y+z \\ x+z \\ y+z \end{bmatrix} = \begin{bmatrix} 9 \\ 5 \\ 7 \end{bmatrix}$$

- **A**. 21
- **B**. 5
- C. 17
- **D**. 1

30. Match the following:

Element	Source of Symbol					
a. Sodium	1. Argentum					
b. Iron	2. Wolfram					
c. Tungsten	3. Ferrum					
d. Silver	4. Natrium					

Select the correct answer using the codes given below:

- A. a-2, b-3, c-4, d-1
- B. a-4, b-2, c-1, d-3
- C. a-4, b-3, c-2, d-1
- D. a-2, b-4, c-1, d-3
- 31. An ideal diatomic gas is enclosed in an insulated cylindrical chamber at temperature 300K. The chamber is closed by a freely movable mass-less piston, whose initial height from the base is 1m. Now the gas is heated such that its temperature becomes 400K at constant pressure. The new height (in m) of the piston from base is:
 - A. $\frac{4}{3}$
 - В.
 - **C**. $\frac{2}{3}$
 - **D**. $\frac{3}{4}$
- 32. Two litres of an ideal gas at a pressure of 10 atm expands isothermally against a constant external pressure of 1 atm until its total volume is 10 litres. How much heat is absorbed in the expansion?
 - A. 10 litre-atm
 - B. 8 litre-atm
 - C. 12 litre-atm
 - D. 6 litre-atm
- 33. The solution of the integral $\int \frac{(1+\log x)^2}{x} dx$ is, (Z is a constant)
 - $A.\frac{1}{3}(1+\log x)^3+Z$
 - B. $\frac{1}{5}(1 + \log x)^3 + Z$
 - C. $\frac{1}{3}(1 + \log x)^5 + Z$
 - $\mathbf{D}.\,\frac{1}{5}(1+\log x)^5+Z$
- 34. The pair NH₃ and BH₃ is isoelectric with which of the following compounds mentioned below:
 - $A. B_2H_6$
 - $B. C_2H_6$
 - $C. C_2H_4$
 - \mathbf{D} . CO_2

- 35. A spherical ball of radius R, is floating in a liquid with half of its volume submerged in the liquid. Now the ball is displaced vertically by small distance inside the liquid. The frequency of oscillation (f) of ball is

 - $C. \frac{1}{2\pi} \sqrt{\frac{3g}{R}}$
 - $\mathbf{D}.\,\frac{1}{2\pi}\,\sqrt{\frac{3g}{2R}}$
- 36. The position vector of the mid-point of the vector joining the points P(2, 3, 4) and Q(4,
 - $\mathbf{A}.\,2\hat{\imath}+3\hat{\jmath}+4\hat{k}$
 - **B**. $3\hat{\imath} + 2\hat{\jmath} + \hat{k}$
 - C. $\hat{\imath} + 3\hat{\jmath} + 2\hat{k}$
 - $\mathbf{D}.\ 2\hat{\imath}+\hat{\jmath}+3\hat{k}$
- 37. A point object is moving with velocity 0.01 m/s on principal axis towards a convex lens of focal length 30 cm. When object is at a distance of 40 cm from the lens, the rate of change of position of the image is
 - A. 0.09 m/s
 - **B**. 0.9 m/s
 - C. 0.01 m/s
 - D. 0.1 m/s
- 38. What will be the wavelength of a ball of mass 0.1 kg moving with a velocity of 10 m s⁻¹? $(h = 6.626 \times 10^{-34} \text{ Js})$
 - **A.** 896.7 x 10⁻³⁴ m **B.** 044.8 x 10⁻³⁴m

 - **C**. $6.626 \times 10^{-34} \text{ m}$
 - **D**. 100 m
- 39. The value of ' λ ' when the projection of $\vec{a} = \lambda \hat{\imath} + \hat{\jmath} + 4\hat{k}$ on $\vec{b} = 2\hat{\imath} + 6\hat{\jmath} + 3\hat{k}$ is 4 units
 - **A**. 3
 - **B**. 5
 - **C**. 7
 - D. 8
- 40. Which of the following ions have the highest value of ionic radius?
 - A. Li⁺
 - **B**. F
 - $C. O^{2-}$
 - D. B³⁺

- 41. A large open tank has two holes in the wall. One is a square hole of side L at a depth y from the top and the other is a circular hole of radius R at a depth 4y from the top. When the tank is completely filled with water, the quantities of water flowing out per second from both holes are the same. Then, what is the value of R?
 - A. $\frac{L}{\sqrt{2\pi}}$
 - **B**. $\frac{L}{\sqrt{\pi}}$
 - $C.\frac{L}{2}$
 - $\mathbf{D}.\frac{L}{4}$
- 42. The binary operation *: $R \times R \rightarrow R$ is defined as a * b = 2a + b. The value of (2*3)*4 is
 - **A**. 14
 - **B**. 16
 - **C**. 18
 - D. 20
- 43. The current across the AC source is given as, $I = I_1 \cos \omega t + I_2 \sin \omega t$. The rms value of current is
 - A, $\frac{l_1+l_2}{2}$
 - **B.** $\frac{I_1^2 + I_2^2}{2}$
 - $\mathbf{C}.\,\frac{(l_1+l_2)^2}{\sqrt{2}}$
 - **D**. $\sqrt{\frac{l_1^2+l_2^2}{2}}$
- 44. Which of the following oxides is amphoteric in nature?
 - A. CaO
 - B. CO₂
 - C. SiO₂
 - D. SnO₂
- 45. Five numbers 10, 7, 5, 4 and 2 are to be arranged in a sequence from left to right following the direction given below:
- 1. No two odd or even numbers are next to each other
- 2. The second number from the left is exactly half of the left most number
- 3. The middle number is exactly twice the right most number

Which is the second number from the right?

- A. 2
- **B**. 4
- C. 7
- **D**. 10
- 46. The area bounded by the lines 3x+2y=14, 2x-3y=5 in the first quadrant is
 - A. 15.25
 - **B**. 14.50
 - C. 15.75
 - **D**. 14.35

- 47. The half-life of a radioisotope is four hours. If the initial mass of isotope was 200g, the mass of it remaining after 24 hours undecayed is?
 - A. 1.042g
 - B. 4.167g
 - C. 3.125g
 - D. 2.084g
- 48. An electromagnetic wave, going through vacuum is described by $E = E_0 \sin(kx + \omega t)$. Which of the following is independent of wavelength?
 - $A. k/\omega$
 - \mathbf{B} , $k\omega$
 - C. both (a) and (b) are correct
 - D. both (a) and (b) are wrong
- 49. An electric field of 300 V m⁻¹ is confined to a circular area 10 cm in diameter. If the electric field is increasing at the rate of 20 V m⁻¹s⁻¹, the magnitude of magnetic field at a point 15 cm from the centre of the circle will be
 - A. $1.85 \times 10^{-15} \text{ T}$
 - B, 3.70×10^{-16} T
 - C. 1.85×10^{-18} T
 - **D**. 0.85×10^{-17} T
- 50. For one molar aqueous solution of the following compounds which one will show the highest freezing point?
 - A. [Co(H₂O)₃Cl₃].3H₂O
 - B. [Co(H₂O)₅Cl]Cl₂.H₂O
 - $C. [Co(H_2O)_6]Cl_3$
 - **D**. $[Co(H_2O)_4Cl_2]Cl.2H_2O$
- 51. If \vec{p} is a unit vector and $(\vec{x} \vec{p})$. $(\vec{x} + \vec{p}) = 80$, then $|\vec{x}|$ is
 - A. 9
 - **B**. 7
 - C. 13
 - **D**. 21
- 52. In the following equation, x, t and F represent displacement, time and force respectively.
- $F = a + bt + \frac{1}{c + xd} + A \sin(\omega t + \varphi)$, The dimensional formula for A×d is A. [M⁰L⁰T¹]

 - **B**. $[M^0 L^{-1} T^0]$
 - C. $[M^{-1}L^{0}T^{0}]$
 - **D**. $[M^1 L^{-1} T^1]$
- 53. A compound (60 g) on analysis gave C=24 g, H=4 g and O=32 g. Its empirical formula is
 - $A. C_2H_2O$
 - $\mathbf{B}. \mathbf{C}_2\mathbf{H}_4\mathbf{O}_2$
 - C. CH₂O
 - $D. CH_2O_2$

54. If
$$f(x) = \sqrt{\frac{\sec x - 1}{\sec x + 1}}$$
, then $f'(\frac{\pi}{2})$ is

- $\mathbf{A} \cdot \frac{\pi}{2}$
- **B**. 1
- $C.\frac{\pi}{4}$
- \mathbf{D} . $\dot{\mathbf{0}}$

55. A uniform disc of radius R lies in x-y plane with its centre at origin. Its moment of inertia about the axis x = 2R and y = 0 is equal to the moment of inertia about the axis y = d and z = 0, where d is equal to

- $A, \frac{4}{3}F$
- \mathbf{B} . 3R
- $C.\frac{\sqrt{17}}{2}R$
- $\mathbf{D}, \frac{\sqrt{15}}{2} F$

56. The correct order of increasing basic nature for the bases NH₃, CH₃NH₂, (CH₃)₂NH is

- A. $(CH_3)_2NH \le NH_3 \le CH_3NH_2$
- B. NH₃ < CH₃NH₂ < (CH₃)₂NH
- C. $CH_3NH_2 < (CH_3)_2NH < NH_3$
- D. CH₃NH₂< NH₃< (CH₃)2NH

57. The daily rainfall in Hyderabad during summer monsoon has a

- A. continuous distribution
- B. discrete distribution
- C. combination of both discrete and continuous distribution
- D. Constant zero

• 58. The mass of a hydrogen molecule is 3.32×10^{-27} kg. If 10^{23} molecules are colliding per second on a stationary wall of area 2 cm² at an angle of 45° to the normal to the wall and reflected elastically with a speed 10^3 m s⁻¹. Find the pressure exerted on the wall (in N m⁻²)

- A. 3.32×10^{-24}
- **B**. 2.347×10^{-24}
- C. 2.347×10^3
- **D**. 3.32×10^3

59. A water sample has ppm level concentration of the following anions: F = 10; $SO_4^2 = 100$; $NO_3 = 50$. The anions/anions that make/makes the water unsuitable for drinking is/are

- A. both SO_4^2 & NO_3
- B. only F
- C. only SO₄²
- D. only NO₃

60. In a scatter plot of X versus Y that has a negative correlation,

- A. As X decreases, Y decreases
- B. As X decreases, Y increases
- C. As X increases, Y increases
- D. For every unit increase of X, the Y increases by 2.73 times

- 61. Two point masses m_1 and m_2 are initially at rest and at infinite distance apart. They start moving towards one another under their mutual gravitational field. Their relative speed when they are at a distance d
 - A. $\sqrt{2G(m_1+m_2)}$
 - $\mathbf{B.}\ \sqrt{\frac{2G(m_1+m_2)}{d}}$
 - $\mathbf{C}.\sqrt{\frac{2G(m_1m_2)}{d}}$
 - $\mathbf{D.} \sqrt{\frac{2Gd}{(m_1+m_2)}}$
- 62. Which of the following kinds of isomerism can nitroethane exhibit?
 - A. Metamerism
 - B. Functional isomerism
 - C. Tautomerism
 - D. Position isomerism
- 63. A ball is thrown in the air. Its height at any time t is, $h = 3 + 14t 5t^2$. Its maximum height is
 - A. 19.2 m
 - **B**. 12.8 m
 - C. There is no way to decide with the given information
 - **D**. 5 m
- 64. The Poisson's ratio for a material is 0.1. If the longitudinal strain of a rod of this material is 1×10^{-3} , find the percentage change in the volume of the rod.
 - A. 1.12%
 - **B**. 11.2%
 - C. 112%
 - D. 0.12%
- 65. Which of the following is a soft base?
 - A. NH₃
 - $B. R_2S$
 - C. Cu[†]
 - \mathbf{D} . H_2O
- 66. The order of the following differential equation $-(d^2x/dx^2)^4 + (dy/dx) = 3$ is
 - **A**. 3
 - B. 1
 - C. 2
 - **D**. 4
- 67. The chemical formula for Sucrose is
 - $A. C_{12}H_{22}O_{11}$
 - **B**. $C_6H_{12}O_6$
 - $C. C_5H_{10}O_5$
 - $D. C_{12}H_{22}O_5$

- 68. A He^+ ions is at rest and is in ground state. A neutron with initial kinetic energy K collides head on with the He^+ ion. Find the minimum value of K so that there can be an inelastic collision between these two particles.
 - A. 40 eV
 - B. 48 eV
 - **C**. 51 eV
 - D. 54 eV
- 69. Which of the following is INCORRECT, as per Rutherford's scattering experiment?
 - A. The atom is neutral
 - B. There exists large space between the electrons and nucleus of the atom
 - C. Electrons can change orbits when they emit energy
 - D. The nucleus is positively charged
- 70. Consider the following reaction:

 $C_2H_5OH + H_2SO_4 \rightarrow Product$

Among the following, which one cannot be formed as a product under any condition?

- A. Diethyl ether
- B. Ethyl hydrogen sulphate
- C. Ethylene
- D. Acetylene
- 71. For an arbitrary scalar A, $\nabla \times \nabla A =$
 - $\mathbf{A}.0$
 - **B**. ∇ A
 - \mathbf{C} . $\nabla^2 \mathbf{A}$
 - D. None of the above
- 72. If for a real continuous function f(x), f(a)f(b) < 0, then in the range of [a, b] for f(x) = 0, there is
 - A. only one root
 - B. at least one root
 - C. no root
 - D. Given information is insufficient to conclude
- 73. Coriolis force deflects the direction of an air current the northern hemisphere
 - A. to its left
 - B. upwards
 - C. to its right
 - D. downwards
- 74. The triple point of water occurs at
 - A. 273.16 K
 - **B**. 0.01 K
 - C. 32.018 K
 - D. 273.16°C

75. A man is known to speak truth 3 out of 4 times. He throws a die and report that it is a 6. Find the probability that it is actually 6.

- **A**. 3/8
- **B**. 5/8
- **C**. 7/8
- **D**. 7/9

University of Hyderabad Entrance Examinations 2020-21 M.Sc. Ocean and Atmospheric Sciences

Answer Key

PART A	PART B			
1. C	26. D	51. A		
2. B	27. B	52. B		
3. B	28. A	53. B		
4. C	29. D	54. B		
5. C	30. C	55. C		
6. C	31. A	56. B		
7. A	32. B	57. C		
8. B	33. A	58. C		
9. B	34. B	59. B		
10. B	35. D	60. B		
11. B	36. B	61. B		
12. B	37. A	62. C		
13. D	38. C	63. B		
14. C	39. B	64. D		
15. C	40. C	65. B		
16. B	41. A	66. C		
17. B	42. C	67. A		
18. C	43. D	68. C		
19. C	44. D	69. C		
20. B	45. C	70. D		
21. D	46. A	71. A		
22. A	47. C	72. B		
23. A	48. A	73. C		
24. B	49. C	74. A		
25. A	50. A	75. A		