ENTRANCE EXAMINATION - 2011 M.Sc. Plant Biology & Biotechnology

Time: 2 hours	Maximum Marks: 100
HALL TICKET NO.	

<u>INSTRUCTIONS</u>

Please read carefully before answering the questions:

- Enter your Hall Ticket number both on the top of this page and on the OMR answer sheet.
- 2. Answers are to be marked only on the **OMR answer sheet** following the instructions provided there upon.
- Hand over both the question paper booklet and OMR answer sheet at the end of the examination
- 4. The question paper contains 100 questions (Part-A: Questions Nos. 1-25 and Part-B: questions Nos. 26-100) of multiple choice in 17 pages, including this page. One OMR answer sheet is provided separately. Please check.
- 5. The marks obtained in Part-A will be used for resolving the tie cases
- Each question carries one mark.
- 7. There is <u>negative marking</u> for wrong answers, in PARTS A and B. For each wrong answer, 0.33 of a mark will be deducted.
- Calculators and Mobile Phones are not allowed.

PART - A

1.	. Which of the following is not the feature of gymnosperms?	
	A.	Parallel venation
	В.	Perennial plants
	C.	Distinct branches (long and short branches)
	D.	Xvlem with vessels

- 2. Integument of Pinus is
 - A. Haploid
 - B. Diploid
 - C. Triploid
 - D. Polyploid
- 3. In the rhizome of Marselia we found the following stellar organization
 - A. Plectostele
 - B. Solenostele
 - C. Dictyostele
 - D. Amphiphloic siphatostele
- 4. Golden age of gymnosperms
 - A. Paleozoic era
 - B. Mesozoic era
 - C. Coenozoic era
 - D. Devonion period
- 5. Ovular structure associated with directing the growth of pollen tube towards the micropyle is called
 - A. Obturator
 - B. Pollenkit
 - C. Translator
 - D. None of the above
- 6. Brown accessory pigment found in and characteristic of the brown algae
 - A. Fucoxanthin
 - B. Zeaxanthin
 - C. Neoxanthin
 - D. Heteraxanthin

7. The number of cotyledons in Cycas

- A. Two
- B. One
- C. Three
- D. Many

8. Morphine was initially isolated from

- A. Papaver somniferum
- B. Rauwolfia serpentina
- C. Conium maculatum
- D. Hyoscyamus niger

9. Moss capsule represents

- A. Sporophyte
- B. Gametophyte
- C. Protonema
- D. Imperfect stage

10. The Fruit of the cotton is

- A. Follicle
- B. Caryopsis
- C. Loculicidal capsule
- D. Achene

11. A lateral meristem in plants

- A. Pericycle
- B. Casparian strip
- C. Cortex
- D. Cambium

12. Which of the following is man made?

- A. Secale
- B. Triticale
- C. Triticum
- D. Cicer aretinum

13. An abandoned, idled, or polluted site is called

- A. Whitefiled
- B. Blackfield
- C. Brownfield
- D. Redfield

- 14. The fiber cells of plants are a type of
 - A. Parenchyma
 - B. Collenchyma
 - C. Sclerenchyma
 - D. Xylem cell
- 15. A large-scale grouping that includes many communities of a similar nature
 - A. Ecosystem
 - B. Biome
 - C. Population
 - D. Community
- 16. Roots that develop from the stem following the death of the primary root are known as
 - A. Adventitious roots
 - B. Secondary root
 - C. Tap root
 - D. Stilt root
- 17. Which one of the following is not present in plant cells
 - A. Peroxisomes
 - B. Centriole
 - C. Microtubules
 - D. Telomeres
- **18.** In *Pisum sativum*, there are 14 chromosomes. How many types of homologous pairs can be prepared?
 - A. 14
 - B. 7
 - C. 2¹⁴
 - D. 210
- 19. Lateral meristem is found in
 - A. Stem tip
 - B. Cambium
 - C. Vascular bundles
 - D. Stem tip & root tip
- 20. Red Sanders (Rakhth/Lal Chandan) botanical name
 - A. Pterocaprus indicus
 - B. Pterocarpus marsupium
 - C. Pterocarpus santalinus
 - D. Pterocarpus santalinoides

- 21. Protistan division that is referred to as the golden brown algae; includes the diatoms are
 - A. Cryptophytes
 - B. Chrysophytes
 - C. Phreatophyte
 - D. Phanerophytes
 - 22. Which of the following is the Heterogamous Fungi?
 - A. Phytophthera
 - B. Albugo
 - C. Puccinia
 - D. Ustilago
 - 23. The coiling of tendril around the support is called
 - A. Thigmotropism
 - B. Seismonasty
 - C. Rheotaxis
 - D. Chemotropism
 - 24. Subject that study the factors that affect the earth and air pollution is termed as
 - A. Dendroclimatology
 - B. Dendroecology
 - C. Dendrohydrology
 - D. Dendrochronology
 - 25. Nector and resins in plants are secreted from
 - A. Sclerenchyma
 - B. Collenchyma
 - C. Parenchyma
 - D. All the above

PART - B

- 26. Molarity of pure water is
 - A. 55.56
 - B. 12.4
 - C. 44.3
 - D. 34.1
- 27. The scientist who first reported somatic embryogenesis in carrot is
 - A. White (1963)
 - B. Reinert (1959)
 - C. Scowcroft (1982)
 - D. Raghavan (1976)
- 28. Ceonozoic era is popularly known as the as of
 - A. Pteridophytes
 - B. Gymnosperms
 - C. Angiosperms
 - D. Cycads and conifers
- 29. Methylotrophs are bacteria which....
 - A. utilize ethanol
 - B. utilize methanol
 - C. produce methane
 - D. produce methanol
- **30.** In *Neurosopra crassa*, a cross is made between a wild type (+) stain with a strain unable to synthesize leucine (leu). Which of the following ascospore distribution represent first division segregation pattern?
 - A. ++ ++ leu leu
 - B. ++ leu leu leu
 - C. ++ ++ ++ leu
 - D. ++ leu ++ leu
- 31. Starch is insoluble in water. Yet it is accumulated in large quantities in potato because:
 - A. Soil microorganisms deposit starch in tubers
 - B. It is synthesized in potato tuber itself
 - C. It is translocated from the leaves to the tuber in the form of sugar
 - D. It is useful for consumption

- 32. The largest plant virus reported as of today is
 - A. Tobacco Mosaic Virus
 - B. Tobacco Etch Virus
 - C. Citrus Tristeza Virus
 - D. Cucumber Mosaic Virus
- 33. If a plant is crossed with a tetraploid (male), the ploidy of the endosperm cells in the resulting seeds is
 - A. Diploid
 - B. Triploid
 - C. Tetraploid
 - D. Pentaploid
- **34.** During the G1-phase of cell division:
 - A. RNA and proteins are synthesized
 - B. DNA and proteins are synthesized
 - C. Cell prepares for M-phase
 - D. Cell undergoes duplication
- 35. Ovule is inverted and micropyle is very close to hilum in
 - A. Anatropous ovule
 - B. Orthotropus ovule
 - C. Amphitropus ovule
 - D. None of the above
- **36.** Methylene blue is a/an
 - A. Basic dye
 - B. Neutral dye
 - C. Acid dye
 - D. Both neutral and acid dye
- 37. Identify the mismatch
 - A. Bifidobacterium produces acetic acid
 - B. Frankia fixes nitrogen
 - C. E. coli Methyl red positive
 - D. Enterobacter H₂S positive
- 38. Oxygen released in photosynthesis comes from
 - A. CO₂
 - B. Water
 - C. Air
 - D. None

- 39. The characteristic phenotypic ratio that is obtained for the two codominant genes that are located on the same chromosome and exhibiting complete linkage is?
 - A. 1:1:1:1
 - B. 9:3:3:1
 - C. 3:1
 - D. 1:2:1
- **40.** To make 1ml of 20 μM ATP, how much of 10 mM ATP stock should be taken?
 - A. 20 μl
 - B. 2 μl
 - C. 200 µl
 - D. 50 µl
- 41. According to Hardy-Weinberg equilibrium the allelic and genotypic frequencies remain constant generation after generation. All assumptions below must be true for a population to be in Hardy-Weinberg equilibrium except for:
 - A. The population size must be large
 - B. Mating occur at random
 - C. No dominance effects are present
 - D. There is no mutation, migration or selection
- 42. Which of the following statements is TRUE
 - A. Proteins are synthesized always from Carboxy terminus to Amino terminus
 - B. Proteins are synthesized always from Amino terminus to Carboxy terminus
 - C. Proteins can be synthesized randomly in any direction
 - D. Protein synthesis always happens bi-directionally
- 43. A fungus parasiting another fungus called
 - A. Epiphyte
 - B. Epibiotic
 - C. Mycoparasite
 - D. Mycobiont
- 44. Which is the first stable product of Calvin cycle?
 - A. Ribulose diphosphate
 - B. Fructose-1-6-diphosphate
 - C. Phospoglyceric acid
 - D. Phasphoenol pyruvic acid

45. Frameshif mutations are observed because

- A. The DNA code is commaless
- B. The DNA code has stop codons
- C. The DNA code is a triplet
- D. All of the above

46. Gram positive bacteria have

- A. Thick, homogeneous layers of peptidoglycon and teichoic acid
- B. Thin, heterogeneous layers of peptidoglycan, teichoic acids and lipopolysaccharides
- C. Thin, peptidoglycan layer surrounded by a complex outer membrane containing lipopolysaccharides
- D. Thick, homogeneous layers of peptidoglycan and lipopolysaccharides

47. An example of an enzyme hydrolase is

- A. Glutamate synthase
- B. Lactate dehydrogenase
- C. Glucose 6-phosphatase
- D. Nitrogenase
- **48.** In which of the following generation would you expect to have maximum genetic variability
 - A. F₁
 - B. F₂
 - $C. F_3$
 - D. F₄
- 49. The bioluminescent dinoflagellates are
 - A. Noctiluca and Gonyaulax
 - B. Gymnodinium and Cerastium
 - C. Dinobryon and Distephanus
 - D. Pinnularia and Acetabularia
- 50. Ammonia oxidation to nitrate depends on the following two bacteria
 - A. Nitrosomonas-Nitrosospira
 - B. Azospirillum-Pseudomonas
 - C. Nitrobacter-Nitrococcus
 - D. Nitrosospira-Nitrococcus

51. What is Archaea?

- A. Archaea is a classification for organisms that have two nuclei.
- B. Archaea is a classification for organisms that use phagocytosis.
- C. Archaea is a classification of an organism that identifies prokaryotes that do not have peptidoglycan cell walls.
- D. Archaea is a classification of an organism that identifies prokaryotes that have peptidoglycan cell walls.

52. Ames test is a test that uses

- A. A special Salmonella strain to test chemicals for mutagenicity and potential carcinogenicity
- B. A Streptococcus strain to test its pathogeneity on humans
- C. A Caulobacter strain to test for use in the treatment of mutagens and carcinogens
- D. A *Helicobacter* strain to test for curing gut cancer.
- 53. The secondary nucleus after fusing with one of the two male gametes develops into
 - A. Seed
 - B. Fruit
 - C. Embryo
 - D. Endosperm
- 54. The process of determining the age of a tree or wood used in structures by counting the number of annual growth rings
 - A. Dendroclimatology
 - B. Dendropyrochronology
 - C. Dendrohydrology
 - D. Dendrochronology
- 55. In TCA cycle isocitric acid is converted to
 - A. Fumaric acid
 - Β. α-Ketoglutaric acid
 - C. Succinic acid
 - D. Succiny-CoA
- 56. The most common phycobiont in lichens is
 - A. Red algae
 - B. Brown algae
 - C. Blue-green algae
 - D. Green algae

- **57.** Which among the following support lithoautotrophic growth of microorganisms
 - A. $H_2S + CO_2$
 - B. $H_2S + glucose$
 - C. Glucose + CO₂
 - D. $CO_2 + H_2S$
- 58. Idioblasts are developed from
 - A. Fibres
 - B. Sclereids
 - C. Collenchyma
 - D. Parenchyma
- 59. Solarisation is:
 - A. Formation of chlorophyll
 - B. Destruction of chlorophyll
 - C. Utilisation of sunlight
 - D. Effects of solar light
- **60.** Photophosphorylation was discovered by:
 - A. Arnon
 - B. Hill
 - C. Calvin
 - D. Ruben and Kaman
- 61. Pick up the odd among the following TCA cycle intermediates
 - A. Malate
 - B. Succinate
 - C. Fumarate
 - D. Citrate
- 62. Bacterial membranes are similar to eukaryotic membranes in that many of their amphipathic lipids are phospholipids, but they usually differ from eukaryotic membranes in lacking sterols such as cholesterol; they have sterol-like moleculus which might have significantly contributed to the formation of petroleum. Select the compound(s) from among the following:
 - A. Ergosterols
 - B. Hopanoids
 - C. Phytanols
 - D. Squalenes

- 63. A friend has discovered a new plant and brings it to you to classify. The plant has the following characteristics: a fibrous root system; no petioles; parallel leaf veins; thick, lignified cell walls; and a vascular cambium. Which of the following best describes the new plant?
 - A. Woody monocot
 - B. Herbaceous monocot
 - C. Herbaceous dicot
 - D. Woody dicot
- 64. Primitive bryophytes are
 - A. Club masses
 - B. Horse tails
 - C. Liver worts
 - D. Ferns
- 65. Which of the following is absent in male gametophyte of angiosperms
 - A. Prothallial cell
 - B. Vegetative cell
 - C. Generative cell
 - D. None of the above
- **66.** Leaves of *Equisetum* is characterised
 - A. Amphistomata
 - B. Scales
 - C. Cladodes
 - D. All the above
- 67. The study of the distribution of plants and animals across the Earth is called
 - A. Zoogeograpgy
 - B. Phytogeography
 - C. Biogeography
 - D. Paleogeography
- 68. In *Drosophila*, a narrow reduced eye is called a bar-eye. It is due to dominant X-linked allele (B), while the wild-type is due to the recessive gene (B⁺). The genotypic expectations of a cross of a heterozygous bar eyed female with a bar-eyed male
 - A. ½ Bar eyed females and ½ wild type males (gp)
 - B. 1/2 Bar eyed females: 1/4 Bar eyed males: 1/4 wild type males
 - C. ½ wild type females: ¼ wild type males: ½ bar eyed males
 - D. All progeny bar eyed

69.	A diploid plant species of 2n=12 chromosomes was hybridized with one
	having $2n = 18$ chromosomes. The breeder found that the hybrid to be an
	alloteraploid (amphidiploid). How many chromosomes can be expected in it?
	II.

- A. 24
- B. 36
- C. 15
- D. 30

70. Hybrid is

- A. Homozygous dominant
- B. Homozygous recessive
- C. Heterozygous
- D. Mutant

71. The disappearance all individuals in a group is called

- A. Expression
- B. Expansion
- C. Extension
- D. Extinction
- 72. The study of how organisms interact with each other and their physical environment is known as
 - A. Ecobiome
 - B. Noosystem
 - C. Microcosm
 - D. Ecosystem
- 73. During which phase of the growth of microorganisms the number of dividing cells equal the number of resting cells
 - A. Log
 - B. Lag
 - C. Stationary
 - D. Death
- 74. The presence of two or more cell lines from different zygotes in a single individual is known as
 - A. Diploidy
 - B. Aneuploidy
 - C. Mosaicism
 - D. Chimerism

75. What is an alton?

- A. The equivalent of a nanometer
- B. The unit of measurement used to measure the structure of an atom
- C. The unit of measurement used to measure atomic number
- D. The unit of measurement used to measure atomic weight
- **76.** Which among the following is not a fluorescent probe?
 - A. Ethidium bromide
 - B. Dansyl chloride
 - C. Fluorescein
 - D. Malachite green
- 77. Linolenic acid is unsaturated fatty acid and its content is highest in:
 - A. Groundnut oil
 - B. Coconut oil
 - C. Cotton oil
 - D. Sunflower oil
- 78. One of the following is **not** a member of *Enterobacteriaceae*
 - A. Serratia
 - B. Shigella
 - C. Klebsiella
 - D. Stigmatella
- 79. Which one of the following is an aromatic amino acid
 - A. Glycine
 - B. Tyrosine
 - C. Valine
 - D. Glutamine
- 80. Term applied to plants having separate male and female plants
 - A. Monoecious
 - B. Monogamous
 - C. Polygamous
 - D. Dioecious
- 81. The phenomenon of apomixes is of interest in plant breeding because it
 - A. Increased the genetic variability
 - B. Produces clonal progeny
 - C. Increased the seed set
 - D. Improves the quality of seed

82. Natural Rubber is

- A. Polymer of phenolic compounds
- B. Polymer of carbohydrates
- C. Polymer of terpenes
- D. Polymer of aminoacids

83. DNA was first isolated by

- A. Friedrich Miescher
- B. James D. Watson and Francis Crick
- C. Oswald Avery
- D. Colin MacLeod and Maclyn McCarty

84. Tapetem is a

- A. Nourshing layer
- B. Protective layer
- C. Vestigeal layer
- D. All the above

85. Identify the mismatch

- A. Weil's disease Leptospira interrogans
- B. Salmonellosis Salmonella spp.
- C. Q fever Coxiella burnetii
- D. Psittacosis Pasteurella multocida

86. The RNA virus having DNA as an intermediate in its life cycle is

- A. Human immunodeficiency virus (HIV)
- B. Hepatitis C virus (HCV)
- C. Hepatitis B virus (HBV)
- D. None

87. A fern prothallus is bisexual. If fertilization takes place between their gametes than it is known as:

- A. Cross fertilization
- B. Self fertilization
- C. Isogamous
- D. Viviparous

88. Cyanobacteria is a

- A. Non photosynthetic bacteria
- B. Photosynthetic bacteria
- C. Green sulphur bacteria
- D. Anaerobic bacteria

- **89.** How do enzymes catalyze a reaction?
 - A. The change potential energy to kinetic energy
 - B. They decrease reaction energy and increase activation energy
 - C. They change activation energy
 - D. They change into irreversible reaction
- 90. In humans, males generally express recessive sex-linked traits because:
 - A. There is NO portion of the Y chromosome which is homologous to the X chromosome
 - B. They frequently lack counterbalancing alleles on their autosomes
 - C. The sex-linked traits are on Y chromosome
 - D. They are hemizygous for the gene mutation because they have only one X chromosome
- **91.** The type of life cycle in yeasts
 - A. Haplobiontic
 - B. Diplobiontic
 - C. Haplo-diplobiontic
 - D. All the above
- **92.** The *Drosophila* flies of genotype XXY produced due to non-disjunction event would be
 - A. Females because they have two X chromosomes
 - B. Be males because they have a Y chromosomes
 - C. Display both male and female characters
 - D. Sterile females because they have Y chromosome
- 93. The fact that all seven traits studied by Mendel in garden pea obeyed the principle of independent assortment means that the
 - A. The garden peas have a diploid chromosome number of 7
 - B. Seven pairs of alleles determining these traits are on the same pair of homologous chromosomes
 - C. The seven pairs of alleles determining these traits behave as if they are on different chromosomes
 - D. The seven pairs of alleles determining these traits present on the same pair of homologous chromosomes are tightly linked
- 94. Which nucleotide of RNA corresponds to Thymine in DNA?
 - A. A
 - B. G
 - C. C
 - D. U

- 95. The dihybrid cross produces four phenotypes in the ratio of 9:3:3:1 because of
 - A. Dominance of one phenotype in each pairs of characters
 - B. Independent assortment of the factors controlling the two pairs of characters
 - C. Combined effect of dominance and independent assortment
 - D. Crossing over of two pairs of characters
- 96. Vitamine B2 is related with
 - A. FMN/FAD
 - B. NAD
 - C. ATP
 - D. NADPH
- **97.** During the meiotic division, the:
 - A. Homologous chromosomes are separated
 - B. The linkage is disturbed
 - C. The homologous chromosomes do not segregate
 - D. All of the above
- 98. Recently declared biosphere reserve in Andhra Pradesh is
 - A. Nallamala
 - B. Rajiv Gandhi National Park
 - C. Seshachalam hills
 - D. Araku valley
- **99.** The condition when the forward and reverse reaction rates are equal and the concentrations of the products remain constant
 - A. Hydrolysis
 - B. Catalysis
 - C. Compensation reaction
 - D. Chemical equilibrium
- 100. tRNA is involved in the biosynthesis of
 - A. Starch
 - B. Nucleic acids
 - C. Vitamins
 - D. Proteins
